

DURATION LIMIT WITH QUANTITY LIMIT AND POST LIMIT PRIOR AUTHORIZATION CRITERIA

DRUG CLASS **IMMEDIATE-RELEASE OPIOID ANALGESICS (BRAND AND GENERIC)***

generic name, dosage form

(codeine sulfate oral solution, tablets)

(hydromorphone hydrochloride oral liquid, suppositories, tablets)

(levorphanol tartrate tablets)

(meperidine hydrochloride oral solution, tablets)

(morphine sulfate oral soln, oral soln concentrate, suppositories, tablets)

(oxycodone hydrochloride capsules, oral soln, oral soln concentrate, tabs)

(oxymorphone hydrochloride tablets)

(pentazocine/naloxone tablets)

(tapentadol oral solution, tablets)

(tramadol hydrochloride tablets)

Status: CVS Caremark Criteria

Type: Initial Step; Duration Limit; Initial Limit; Post Limit PA

Ref # 2221-M

** Drugs that are listed in the target drug box include both brand and generic and all dosage forms and strengths unless otherwise stated.*

FDA-APPROVED INDICATIONS

Codeine Sulfate

Oral Solution

Codeine sulfate is an opioid analgesic indicated for the management of mild to moderately severe pain where the use of an opioid analgesic is appropriate.

Tablets

Codeine sulfate tablets are indicated for the management of mild to moderate pain, where treatment with an opioid is appropriate and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve codeine sulfate tablets for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Hydromorphone Hydrochloride

Oral Solution, Tablets

Hydromorphone hydrochloride oral solution, tablets, and suppositories are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve hydromorphone hydrochloride oral solution, tablets, and suppositories for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Suppositories

Hydromorphone hydrochloride is indicated for the relief of moderate to severe pain such as that due to: Surgery, Trauma (soft tissue and bone), Burns, Cancer, Biliary Colic, Myocardial Infarction, Renal Colic.

Levorphanol Tartrate

Levorphanol Tartrate tablets are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve levorphanol tablets for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Meperidine Hydrochloride

Oral Solution, Tablets

Meperidine hydrochloride oral solution and tablets are indicated for the relief of moderate to severe pain.

Morphine Sulfate

Oral Solution

Morphine sulfate oral solution (10 mg per 5 mL and 20 mg per 5 mL) is indicated for the management of acute and chronic pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Morphine sulfate oral solution 100 mg per 5 mL (20 mg/mL) is indicated for the relief of acute and chronic pain in opioid-tolerant patients.

Suppositories

Morphine suppositories are indicated for the relief of severe chronic pain, and severe acute pain.

Tablets

Morphine sulfate tablets and suppositories are indicated for the management of acute and chronic pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve morphine sulfate tablets, suppositories, and oral solution for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Nucynta (tapentadol)

Oral Solution

Nucynta (tapentadol) oral solution is indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate in adults.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve Nucynta oral solution for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Tablets

Nucynta (tapentadol) tablets are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve Nucynta tablets for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Oxaydo (oxycodone hydrochloride)

Oxaydo is indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve Oxaydo for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Oxycodone Hydrochloride

Capsules

Oxycodone hydrochloride capsule is an opioid analgesic, indicated for the management of moderate to severe acute and chronic pain where use of an opioid analgesic is appropriate.

Oral Solution and Tablets

Oxycodone hydrochloride oral solution and tablets are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve oxycodone hydrochloride oral solution and tablets for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Oxymorphone Hydrochloride

Oxymorphone hydrochloride tablets are indicated for the relief of moderate to severe acute pain where the use of an opioid is appropriate.

Pentazocine/Naloxone

Pentazocine and naloxone tablets are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve pentazocine and naloxone tablets for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Pentazocine and naloxone tablets are indicated for oral use only.

RoxyBond (oxycodone hydrochloride)

RoxyBond is indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve RoxyBond for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

Ultram (tramadol)

Ultram is indicated for the management of pain in adults that is severe enough to require an opioid analgesic and for which alternative treatments are inadequate.

Limitations of Use

Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve Ultram for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products):

- Have not been tolerated or are not expected to be tolerated,
- Have not provided adequate analgesia or are not expected to provide adequate analgesia.

COVERAGE CRITERIA

The requested drug will be covered with prior authorization when the following criteria are met:

- The requested drug is being prescribed for pain associated with cancer, a terminal condition, or pain being managed through hospice or palliative care

OR

- The patient can safely take the requested dose based on their history of opioid use

AND

- The patient has been evaluated and will be monitored regularly for the development of opioid use disorder

AND

- The requested drug is being prescribed for moderate to severe CHRONIC pain where use of an opioid analgesic is appropriate. [Note: Chronic pain is generally defined as pain that typically lasts greater than 3 months.]

AND

- The patient's pain will be reassessed in the first month after the initial prescription or any dose increase AND every 3 months thereafter to ensure that clinically meaningful improvement in pain and function outweigh risks to patient safety

OR

- The patient requires extended treatment beyond 7 days for moderate to severe ACUTE pain where use of an opioid analgesic is appropriate

Quantity Limits may apply.

RATIONALE

The intent of the criteria is to provide coverage consistent with product labeling, FDA guidance, standards of medical practice, evidence-based drug information, and/or published guidelines. Codeine sulfate is indicated for the management of mild to moderate pain, where treatment with an opioid is appropriate and for which alternative treatments are inadequate. Hydromorphone hydrochloride, levorphanol tartrate, oxycodone hydrochloride, pentazocine/naloxone, tapentadol, and tramadol are indicated for the management of pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate. Meperidine is indicated for the management of moderate to severe pain. Morphine sulfate is indicated for the management of acute and chronic pain severe enough to require an opioid analgesic and for which alternative treatments are inadequate. Oxymorphone hydrochloride is indicated for the relief of moderate to severe acute pain where the use of an opioid

is appropriate. Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, reserve immediate-release opioids for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or opioid combination products) 1) have not been tolerated or are not expected to be tolerated, or 2) have not provided adequate analgesia or are not expected to provide adequate analgesia.¹⁻²²

If the patient has filled a prescription for at least a 1-day supply of a drug indicating the patient is being treated for cancer within the past 365 days under a prescription benefit administered by CVS Caremark, then the requested drug will be paid under that prescription benefit.

For patients with no prescription claims of a cancer drug in the past 365 days:

If the patient has filled a prescription for at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days under a prescription benefit administered by CVS Caremark, then the initial quantity limit criteria will apply (see Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below).

If the patient does not have at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days (i.e., this is the patient's first fill of an opioid) and the incoming prescription drug is being filled for more than a 7-day supply, then the claim will reject with a message indicating that the patient can receive a 7-day supply or submit a prior authorization (PA) for additional quantities. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit. If the incoming prescription drug is being filled for less than a 7-day supply, then the initial quantity limit criteria apply (see Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below).

The Centers for Disease Control and Prevention (CDC) Guideline for Prescribing Opioids for Chronic Pain provides recommendations for primary care clinicians who are prescribing opioids for chronic pain outside of active cancer treatment, palliative care, and end-of-life care.²⁶ National Comprehensive Cancer Network (NCCN) guidelines for Adult Cancer Pain recommend for continuous pain to give pain medication on a regular schedule with supplemental doses for breakthrough pain. Add an extended-release or long-acting formulation to provide background analgesia for control of chronic persistent pain controlled on stable doses of short-acting opioids. When possible, use the same opioid for short-acting and extended-release forms. Allow rescue doses of short-acting opioids every 1 hour as needed.²⁴ The NCCN Palliative Care pain management recommendation is to treat according to NCCN guidelines for adult cancer pain.²³ For patients with no prescription claims of a cancer drug in the past 365 days who are identified through the prior authorization criteria as having cancer, a terminal condition or pain being managed through hospice or palliative care, acute pain duration limits and post limit quantities will not apply.

According to the CDC Guideline for Prescribing Opioids for Chronic Pain, long-term opioid use often begins with treatment of acute pain. When opioids are used for acute pain, clinicians should prescribe the lowest effective dose of immediate-release opioids and should prescribe no greater quantity than needed for the expected duration of pain severe enough to require opioids. Three days or less will often be sufficient; more than seven days will rarely be needed.²⁶ Coverage is provided for up to 7 days initially to provide an amount sufficient for the treatment of acute pain.

Clinicians should evaluate benefits and harms with patients within 1 to 4 weeks of starting opioid therapy for chronic pain or of dose escalation. Clinicians should evaluate benefits and harms of continued therapy with patients every 3 months or more frequently. If benefits do not outweigh harms of continued opioid therapy, then clinicians should optimize other therapies and work with patients to taper opioids to lower dosages or to taper and discontinue opioids.²⁶

Before starting and periodically during continuation of opioid therapy, clinicians should evaluate risk factors for opioid-related harms. Clinicians should consider history of overdose, history of substance use disorder, higher opioid dosages (≥ 50 MME/day), or concurrent benzodiazepine use.²⁶

The CDC Guideline for Prescribing Opioids for Chronic Pain recommends that when opioids are started, clinicians should prescribe the lowest effective dosage. Clinicians should use caution when prescribing opioids at any dosage, should carefully reassess evidence of individual benefits and risks when increasing dosage to ≥ 50 morphine milligram equivalents (MME) per day, and should avoid increasing the dosage to ≥ 90 MME per day or carefully justify a decision to titrate the dosage to ≥ 90 MME per day.²⁶ The immediate-release opioid drug initial quantity limits are set to encompass the usual/starting dosage range recommendations in labeling without exceeding a monthly quantity that corresponds to 90 MME per day. If the patient is requesting more than the initial quantity limit, then the system will reject with a message indicating that a prior authorization is required. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit.

The American Pain Society Opioid Treatment Guidelines state that a reasonable definition for high dose opioid therapy is >200 mg daily of oral morphine (or equivalent).²⁵ The immediate-release opioid drug post quantity limits are set to encompass the usual dosage range recommendations in labeling, or up to 1.5 times the initial quantity limit, without exceeding a monthly quantity that corresponds to 200 MME per day to promote optimization of pain management, safe and effective use, and to reduce misuse, abuse, and overdose.

Although meperidine is commonly used for acute pain relief, use of this drug as first-line opiate therapy is discouraged because of central excitatory toxicity of the metabolite (normeperidine). Because of extensive first-pass metabolism in the liver of normeperidine, the risk of excitatory toxicity is increased with oral administration of meperidine. Therefore, oral therapy is discouraged. Use of meperidine for chronic pain is discouraged because of its short duration of effect and risk of accumulation. Meperidine should be limited to short-term (i.e., a few days) because of the risk of accumulation of the toxic normeperidine metabolite with repeated or large doses.²¹ The initial quantity limit for meperidine will be set at a quantity that corresponds to a 72 hour supply (allows for weekend coverage, if necessary). The post limit quantity will be set at a quantity that corresponds to a 96 hour supply, allowing one additional day of therapy beyond the initial quantity limit.

The limit for codeine is set reflective of its questionable role in chronic or moderate to severe pain management as compared to other opioid medications. When prescribing codeine, healthcare providers should choose the lowest effective dose for the shortest period of time. The initial quantity limit for codeine will be set at a quantity that corresponds to a one week supply. The post limit quantity will be set at a quantity that corresponds to a two-week supply.

PROGRAM DESCRIPTION*

Neither acute pain duration limits nor quantity limits apply if the patient has a drug in claims history in the past year that indicates the patient is being treated for cancer.

Acute Pain Duration Limit

If a patient has filled at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days, then the immediate-release opioid will adjudicate for up to the initial quantity limit.

If the patient does not have at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days (i.e., this is the patient's first fill of an opioid), then coverage is provided for up to a 7-day supply of the immediate-release opioid. Prior authorization review is required to determine coverage for a quantity necessary for treatment beyond 7 days. For patients with no prescription claims of a cancer drug in the past 365 days who are identified through the prior authorization criteria as having cancer, a terminal condition or pain being managed through hospice or palliative care, acute pain duration limits will not apply.

Quantity Limit/Post Limit

Plans implementing morphine milligram equivalent (MME) based quantity limits on immediate-release opioids are

providing coverage for an initial amount of a monthly quantity that corresponds to 90 MME or less per day. Coverage is provided for up to the initial quantity limit per Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below.

Prior authorization review is required to determine coverage for additional quantities above the initial limit.

Post limit quantities are set to provide coverage for additional quantities of the prescribed opioid that do not exceed a monthly quantity that corresponds to 200 MME per day. For patients with no prescription claims of a cancer drug in the past 365 days who are identified through the prior authorization criteria as having cancer, a terminal condition or pain being managed through hospice or palliative care, post limit quantities will not apply.

**Acute Pain Duration Limit logic will apply first, followed by initial quantity limit logic.*

REFERENCES

1. Codeine Sulfate oral solution [package insert]. Columbus, OH: Roxane Laboratories, Inc.; June 2011.
2. Codeine Sulfate tablets [package insert]. Philadelphia, PA: Lannett Company, Inc.; September 2017.
3. Dilaudid oral solution, tablets [package insert]. Coventry, RI: Rhodes Pharmaceuticals L.P.; May 2017.
4. Hydromorphone HCl oral solution, tablets [package insert] Eatontown, NJ: Westward Pharmaceuticals Corp; November 2017.
5. Hydromorphone HCl suppositories [package insert] Eatontown, NJ: Westward Pharmaceuticals Corp; January 2016.
6. Levorphanol Tartrate [package insert]. Solana Beach, CA: Sentyln Therapeutics, Inc.; September 2018.
7. Meperidine Hydrochloride oral solution, tablets [package insert]. Eatontown, NJ: West-Ward Pharmaceuticals Corp.; June 2016.
8. Morphine Sulfate 10 mg/5 mL, 20 mg/5 mL, 100 mg/5 mL (20 mg/mL) oral solution [package insert]. Largo, FL: VistaPharm, Inc.; December 2017.
9. Morphine Sulfate suppositories [package insert]. Minneapolis, MN: Perrigo; December 2017.
10. Morphine Sulfate tablets [package insert]. Eatontown, NJ: West-Ward Pharmaceuticals Corp.; April 2017.
11. Nucynta oral solution [package insert]. Titusville, NJ: Janssen Pharmaceuticals, Inc; November 2017.
12. Nucynta tablets [package insert]. Titusville, NJ: Janssen Pharmaceuticals, Inc; December 2016.
13. Oxaydo [package insert]. Wayne, PA: Egalet US Inc.; December 2016.
14. Oxycodone Hydrochloride tablets [package insert]. Hauppauge, NY: Amneal Pharmaceuticals of NY; June 2017.
15. Oxycodone Hydrochloride capsules [package insert]. Newtown, PA: KVK-TECH, Inc.; December 2017.
16. Oxycodone Hydrochloride 5 mg/5 mL, 100 mg/5 mL (20 mg/mL) oral solution [package insert]. Greenville, NC: Mayne Pharma; January 2017.
17. Oxymorphone [package insert]. Newtown, PA: KVK-TECH, Inc.; December 2017.
18. Pentazocine and Naloxone [package insert]. Parsippany, NJ: Actavis Pharma, Inc; September 2016.
19. RoxyBond [package insert]. Basking Ridge, NJ: Daiichi Sankyo, Inc.; June 2017.
20. Ultram [package insert]. Titusville, NJ: Janssen Pharmaceuticals, Inc ; September 2017.
21. AHFS DI (Adult and Pediatric) [database online]. Hudson, OH: Lexi-Comp, Inc.; http://online.lexi.com/lco/action/index/dataset/complete_ashp [available with subscription]. Accessed January 2018.
22. Micromedex Solutions [database online]. Greenwood Village, CO: Truven Health Analytics Inc. Updated periodically. www.micromedexsolutions.com [available with subscription]. Accessed January 2018.
23. Palliative Care. NCCN Guidelines version 1.2018. Available at: http://www.nccn.org/professionals/physician_gls/pdf/palliative.pdf. Accessed January 2018.
24. Adult Cancer Pain. NCCN Guidelines version 2.2017. Available at: https://www.nccn.org/professionals/physician_gls/pdf/pain.pdf. Accessed January 2018.
25. Chou R, Fanciullo G, Fine P, et al. Clinical Guidelines for the Use of Chronic Opioid Therapy in Chronic Noncancer Pain The Journal of Pain 2009;10:113-130.

26. Dowell D, Haegerich TM, Chou R. CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016. MMWR Recomm Rep 2016;65:1–49. Available at: <http://dx.doi.org/10.15585/mmwr.rr6501e1>. Accessed January 2018.

Written by: UM Development (CF/JH)
Date Written: 05/2016
Revised: 06/2016, 10/2016, 01/2017 (no clinical changes), 05/2017 (RoxyBond), 08/2017 (combined acute pain and limit/PL criteria, no clinical changes), 08/2017 (7-day supply acute pain), 01/2018, 01/2019 (added levorphanol 1 mg, 3 mg)
Reviewed: Medical Affairs: (DNC) 05/2016, 06/2016, 10/2016, 05/2017, 08/2017, 01/2018, 01/2019
External Review: 06/2016, 12/2016, 04/2017, 06/2017, 08/2017, 10/2017, 04/2018, 02/2019 (FYI)

INITIAL STEP THERAPY

If the patient has filled a prescription for at least a 1-day supply of a drug indicating the patient is being treated for cancer within the past 365 days under a prescription benefit administered by CVS Caremark, then the requested drug will be paid under that prescription benefit.

For patients with no prescription claims of a cancer drug in the past 365 days:

If the patient has filled a prescription for at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days under a prescription benefit administered by CVS Caremark, then the initial quantity limit criteria will apply (see Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below).

If the patient does not have at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days (i.e., this is the patient's first fill of an opioid) and the incoming prescription drug is being filled for more than a 7-day supply, then the claim will reject with a message indicating that the patient can receive a 7-day supply or submit a prior authorization (PA) for additional quantities. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit. If the incoming prescription drug is being filled for less than a 7-day supply, then the initial quantity limit criteria apply (see Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below).

LIMIT CRITERIA*

Neither acute pain duration limits nor quantity limits apply if the patient has a drug in claims history in the past year that indicates the patient is being treated for cancer.

ACUTE PAIN DURATION LIMIT:

The acute pain duration limit portion of this program applies to patients identified with potential first fills of immediate-release opioid prescriptions for the treatment of non-cancer related pain. A first fill is defined as at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history during the previous 3 months.

If the patient does not have at least a cumulative 7-day supply of an opioid agent indicated for the management of pain (immediate- or extended-release) within prescription claim history in the past 90 days (i.e., this is the patient's first fill of an opioid) and the incoming prescription drug is being filled for more than a 7-day supply, then the claim will reject with a message indicating that the patient can receive a 7-day supply or submit a prior authorization (PA) for additional quantities. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit. If the incoming prescription drug is being filled for less than a 7-day supply, then the initial quantity limit criteria apply (see Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below).

INITIAL QUANTITY LIMIT:

Morphine milligram equivalent (MME) quantity limits for immediate-release opioids provide coverage for an initial amount of a monthly quantity that corresponds to 90 MME or less per day. Coverage is provided for up to the initial quantity limit per Column A and Column B in the Opioid Analgesics IR Quantity Limits Chart below. Prior authorization review is required to determine coverage for additional quantities above the initial limit.

**Acute Pain Duration Limit logic will apply first, followed by initial quantity limit logic.*

CRITERIA FOR APPROVAL

- | | | | |
|---|--|-----|----|
| 1 | Is the requested drug being prescribed for pain associated with cancer, a terminal condition, or pain being managed through hospice or palliative care? [If yes, then no further questions.] | Yes | No |
| 2 | Can the patient safely take the requested dose based on their history of opioid use? | Yes | No |
| 3 | Has the patient been evaluated and will the patient be monitored regularly for the development of opioid use disorder? | Yes | No |
| 4 | Is the requested drug being prescribed for moderate to severe CHRONIC pain where use of an opioid analgesic is appropriate? [Note: Chronic pain is generally defined as pain that typically lasts greater than 3 months.] [If no, then skip to question 6.] | Yes | No |
| 5 | Will the patient's pain be reassessed in the first month after the initial prescription or any dose increase AND every 3 months thereafter to ensure that clinically meaningful improvement in pain and function outweigh risks to patient safety? [If yes, then skip to question 7.] | Yes | No |
| 6 | Does the patient require extended treatment beyond 7 days for moderate to severe ACUTE pain where use of an opioid analgesic is appropriate? [If yes, then skip to question 8.] [If no, then no further questions.] | Yes | No |
| 7 | Which drug is being requested (applies to brand or generic)? [Note: Please check which drug (applies to brand or generic).] <input type="checkbox"/> codeine sulfate oral solution or tablets (if checked, go to 9) <input type="checkbox"/> hydromorphone oral liquid, suppositories, tablets (if checked, go to 10) <input type="checkbox"/> levorphanol tablets (if checked, go to 11) <input type="checkbox"/> meperidine oral solution or tablets (if checked, go to 12) <input type="checkbox"/> morphine sulfate oral concentrate or oral solution (if checked, go to 13) <input type="checkbox"/> morphine sulfate suppositories (if checked, go to question 14) <input type="checkbox"/> morphine sulfate tablets (if checked, go to question 15) <input type="checkbox"/> oxycodone, Oxaydo, or RoxyBond capsules or tablets (if checked, go to question 16) <input type="checkbox"/> oxycodone oral concentrate or oral solution (if checked, go to 17) <input type="checkbox"/> oxymorphone tablets (if checked, go to question 18) <input type="checkbox"/> pentazocine/naloxone tablets (if checked, go to 19) | | |

- tapentadol oral solution or tablets (Nucynta) (if checked, go to 20)
- tramadol tablets (if checked, go to 21)

8 Which drug is being requested (applies to brand or generic)?
 [Note: Please check which drug (applies to brand or generic).]

- codeine sulfate oral solution or tablets (if checked, go to 22)
- hydromorphone oral liquid, suppositories, tablets (if checked, go to 23)
- levorphanol tablets (if checked, go to 24)
- meperidine oral solution or tablets (if checked, go to 25)
- morphine sulfate oral concentrate or oral solution (if checked, go to 26)
- morphine sulfate suppositories (if checked, go to question 27)
- morphine sulfate tablets (if checked, go to question 28)
- oxycodone, Oxaydo, or RoxyBond capsules or tablets (if checked, go to question 29)
- oxycodone oral concentrate or oral solution (if checked, go to 30)
- oxymorphone tablets (if checked, go to question 31)
- pentazocine/naloxone tablets (if checked, go to 32)
- tapentadol oral solution or tablets (Nucynta) (if checked, go to 33)
- tramadol tablets (if checked, go to 34)

9 Does the patient require use of MORE than 840 mL (quantity sufficient for a 14-day supply) in a one month period of codeine sulfate oral solution OR MORE than 84 tablets (quantity sufficient for a 14-day supply) in a one month period of codeine sulfate tablets?
 [No further questions.]

Yes No

[RPh Note: If yes, then deny and enter a partial approval for 840 mL/month of codeine sulfate oral solution OR 84 tablets/month of codeine sulfate tablets.]

10 Does the patient require use of MORE than any of the following: A) 1500 mL/month of hydromorphone liquid, B) 180 suppositories/month of hydromorphone suppositories, C) 270 tablets/month of hydromorphone 2 mg tablets, D) 225 tablets/month of hydromorphone 4 mg tablets, E) 90 tablets/month of hydromorphone 8 mg tablets?
 [No further questions.]

Yes No

[RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 1500 mL/month of hydromorphone liquid, B) 180 suppositories/month of hydromorphone suppositories, C) 270 tablets/month of hydromorphone 2 mg tablets, D) 225 tablets/month of hydromorphone 4 mg tablets, E) 90 tablets/month of hydromorphone 8 mg tablets.]

11 Does the patient require use of MORE than 180 levorphanol tablets/month?
 [No further questions.]

Yes No

[RPh Note: If yes, then deny and enter a partial approval for 180 levorphanol tablets/month.]

12 Does the patient require use of MORE than 120 mL (quantity sufficient for a 4-day supply) in a one month period of meperidine oral solution OR MORE than 24 tablets/month (quantity sufficient for a 4-day supply) of meperidine tablets in a one month period?
 [No further questions.]

Yes No

[RPh Note: If yes, then deny and enter a partial approval for 120 mL/month of meperidine oral solution OR 24 tablets/month of meperidine tablets.]

- | | | | |
|----|---|-----|----|
| 13 | Does the patient require use of MORE than 270 mL/month of morphine sulfate oral concentrate solution OR MORE than 1350 mL/month of morphine sulfate oral solution? [No further questions.] | Yes | No |
|----|---|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for 270 mL/month of morphine sulfate oral concentrate solution OR 1350 mL/month of morphine sulfate oral solution.]

- | | | | |
|----|---|-----|----|
| 14 | Does the patient require use of MORE than 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, 20 mg OR MORE than 180 suppositories/month of morphine sulfate suppository 30 mg? [No further questions.] | Yes | No |
|----|---|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, 20 mg OR 180 suppositories/month of morphine sulfate suppository 30 mg.]

- | | | | |
|----|--|-----|----|
| 15 | Does the patient require use of MORE than 270 tablets/month of morphine sulfate 15 mg tablets OR MORE than 180 tablets/month of morphine sulfate 30 mg tablets? [No further questions.] | Yes | No |
|----|--|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for 270 tablets/month of morphine sulfate 15 mg tablets OR 180 tablets/month of morphine sulfate 30 mg tablets.]

- | | | | |
|----|---|-----|----|
| 16 | Does the patient require use of MORE than any of the following: A) 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg, B) 180 tablets/month of oxycodone 15 mg, 20 mg, or RoxyBond 15 mg D) 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg? [No further questions.] | Yes | No |
|----|---|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg, B) 180 tablets/month of oxycodone 15 mg, 20 mg, or RoxyBond 15 mg D) 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg.]

- | | | | |
|----|---|-----|----|
| 17 | Does the patient require use of MORE than 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) OR MORE than 2700 mL/month of oxycodone oral solution 5 mg/5 mL? [No further questions.] | Yes | No |
|----|---|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) OR 2700 mL/month of oxycodone oral solution 5 mg/5 mL.]

- | | | | |
|----|---|-----|----|
| 18 | Does the patient require use of MORE than 360 tablets/month of oxymorphone 5 mg OR MORE than 180 tablets/month of oxymorphone 10 mg? [No further questions.] | Yes | No |
|----|---|-----|----|

[RPh Note: If yes, then deny and enter a partial approval for 360 tablets/month of oxymorphone 5 mg OR 180 tablets/month of oxymorphone 10 mg.]

- 19 Does the patient require use of MORE than 300 pentazocine/naloxone tablets/month? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 300 pentazocine/naloxone tablets/month.]

- 20 Does the patient require use of MORE than any of the following: A) 240 tablets/month of Nucynta (tapentadol) 50 mg tablets, B) 180 tablets/month of Nucynta (tapentadol) 75 mg tablets, C) 120 tablets/month of Nucynta (tapentadol) 100 mg tablets, D) 700 mL/month of Nucynta (tapentadol) oral solution? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 240 tablets/month of Nucynta (tapentadol) 50 mg tablets, B) 180 tablets/month of Nucynta (tapentadol) 75 mg tablets, C) 120 tablets/month of Nucynta (tapentadol) 100 mg tablets, D) 700 mL/month of Nucynta (tapentadol) oral solution.]

- 21 Does the patient require use of MORE than 240 tablets/month of tramadol? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 240 tablets/month of tramadol.]

- 22 Does the patient require use of MORE than 840 mL (quantity sufficient for a 14-day supply) in a one month period of codeine sulfate oral solution OR MORE than 84 tablets (quantity sufficient for a 14-day supply) in a one month period of codeine sulfate tablets? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 840 mL/month of codeine sulfate oral solution OR 84 tablets/month of codeine sulfate tablets.]

- 23 Does the patient require use of MORE than any of the following: A) 1500 mL/month of hydromorphone liquid, B) 180 suppositories/month of hydromorphone suppositories, C) 270 tablets/month of hydromorphone 2 mg tablets, D) 225 tablets/month of hydromorphone 4 mg tablets, E) 90 tablets/month of hydromorphone 8 mg tablets? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 1500 mL/month of hydromorphone liquid, B) 180 suppositories/month of hydromorphone suppositories, C) 270 tablets/month of hydromorphone 2 mg tablets, D) 225 tablets/month of hydromorphone 4 mg tablets, E) 90 tablets/month of hydromorphone 8 mg tablets.]

- 24 Does the patient require use of MORE than 180 levorphanol tablets/month? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 180 levorphanol tablets/month.]

| | | | |
|----|--|-----|----|
| 25 | Does the patient require use of MORE than 120 mL (quantity sufficient for a 4-day supply) in a one month period of meperidine oral solution OR MORE than 24 tablets/month (quantity sufficient for a 4-day supply) of meperidine tablets in a one month period? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for 120 mL/month of meperidine oral solution OR 24 tablets/month of meperidine tablets.] | Yes | No |
| 26 | Does the patient require use of MORE than 270 mL/month of morphine sulfate oral concentrate solution OR MORE than 1350 mL/month of morphine sulfate oral solution? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for 270 mL/month of morphine sulfate oral concentrate solution OR 1350 mL/month of morphine sulfate oral solution.] | Yes | No |
| 27 | Does the patient require use of MORE than 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, 20 mg OR MORE than 180 suppositories/month of morphine sulfate suppository 30 mg? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, 20 mg OR 180 suppositories/month of morphine sulfate suppository 30 mg.] | Yes | No |
| 28 | Does the patient require use of MORE than 270 tablets/month of morphine sulfate 15 mg tablets OR MORE than 180 tablets/month of morphine sulfate 30 mg tablets? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for 270 tablets/month of morphine sulfate 15 mg tablets OR 180 tablets/month of morphine sulfate 30 mg tablets.] | Yes | No |
| 29 | Does the patient require use of MORE than any of the following: A) 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg, B) 180 tablets/month of oxycodone 15 mg, 20 mg, or RoxyBond 15 mg D) 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg, B) 180 tablets/month of oxycodone 15 mg, 20 mg, or RoxyBond 15 mg D) 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg.] | Yes | No |
| 30 | Does the patient require use of MORE than 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) OR MORE than 2700 mL/month of oxycodone oral solution 5 mg/5 mL? [No further questions.] [RPh Note: If yes, then deny and enter a partial approval for 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) OR 2700 mL/month of oxycodone oral solution | Yes | No |

5 mg/5 mL.]

- 31 Does the patient require use of MORE than 360 tablets/month of oxymorphone 5 mg OR MORE than 180 tablets/month of oxymorphone 10 mg? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 360 tablets/month of oxymorphone 5 mg OR 180 tablets/month of oxymorphone 10 mg.]

- 32 Does the patient require use of MORE than 300 pentazocine/naloxone tablets/month? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for 300 pentazocine/naloxone tablets/month.]

- 33 Does the patient require use of MORE than any of the following: A) 240 tablets/month of Nucynta (tapentadol) 50 mg tablets, B) 180 tablets/month of Nucynta (tapentadol) 75 mg tablets, C) 120 tablets/month of Nucynta (tapentadol) 100 mg tablets, D) 700 mL/month of Nucynta (tapentadol) oral solution? Yes No
[No further questions.]

[RPh Note: If yes, then deny and enter a partial approval for ONE of the following: A) 240 tablets/month of Nucynta (tapentadol) 50 mg tablets, B) 180 tablets/month of Nucynta (tapentadol) 75 mg tablets, C) 120 tablets/month of Nucynta (tapentadol) 100 mg tablets, D) 700 mL/month of Nucynta (tapentadol) oral solution.]

- 34 Does the patient require use of MORE than 240 tablets/month of tramadol? Yes No

[RPh Note: If yes, then deny and enter a partial approval for 240 tablets/month of tramadol.]

Mapping Instructions

DENIAL REASONS – DO NOT USE FOR MEDICARE PART D

| | Yes | No | |
|----|--|---------|---|
| 1. | Approve, 12 months, No set post limit quantity [Enter approval for quantity of 999999.] | Go to 2 | |
| 2. | Go to 3 | Deny | Your plan covers this drug when you can safely take the drug based on your history of opioid use. Your use of this drug does not meet the requirement. This is based on the information we have. [Short Description: Patient cannot safely take requested dose.] |
| 3. | Go to 4 | Deny | Your plan covers this drug when you will be monitored regularly. Your use of this drug does not meet the requirement. This is based on the |

| | | | |
|-----|---|---|--|
| | | | information we have. [Short Description: Patient not monitored regularly for opioid use disorder.] |
| 4. | Go to 5 | Go to 6 | |
| 5. | Go to 7 | Deny | Your plan covers this drug when you meet all of these conditions: <ul style="list-style-type: none"> - Your pain is checked by your doctor the first month after your initial prescription or after a dose increase and every 3 months after that - Your pain is improving with the medication - You are able to function better with the medication - The benefits outweigh the risks of taking the medication Your use of this drug does not meet the requirements. This is based on the information we have. [Short Description: Patient's pain is not being reassessed.] |
| 6. | Go to 8 | Deny | Your plan covers this drug when you have one of these conditions: <ul style="list-style-type: none"> - Pain due to cancer or a terminal condition - Pain being managed through hospice or palliative care - Moderate to severe chronic pain that requires treatment with an opioid - Moderate to severe acute pain that requires treatment with an opioid for more than seven days Your use of this drug does not meet the requirement. This is based on the information we have. [Short Description: No approvable diagnosis.] |
| 7. | 1=9; 2=10; 3=11; 4=12; 5=13; 6=14; 7=15; 8=16; 9=17; 10=18; 11=19; 12=20; 13=21 | N/A | |
| 8. | 1=22; 2=23; 3=24; 4=25; 5=26; 6=27; 7=28; 8=29; 9=30; 10=31; 11=32; 12=33; 13=34 | N/A | |
| 9. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month limit) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: <ul style="list-style-type: none"> - 840 mL in a one month period of codeine sulfate oral solution - 84 tablets in a one month period of codeine sulfate tablets You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 10. | Deny RPh Note: For the denial verbiage, | Approve, 12 months | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: <ul style="list-style-type: none"> - 1500 mL/month of hydromorphone liquid or |

| | | | |
|-----|---|---|---|
| | only include the requested drug. Remove all the other drugs from the verbiage. | See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | - 180 suppositories/month hydromorphone suppositories - 270 tablets/month of hydromorphone 2 mg tablets - 225 tablets/month of hydromorphone 4 mg tablets - 90 tablets/month of hydromorphone 8 mg tablets You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 11. | Deny | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 180 tablets/month of the requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 12. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month limit) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 120 mL in a one month period of meperidine oral solution - 24 tablets in a one month period of meperidine tablets You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 13. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 mL/month of morphine sulfate oral concentrate solution - 1350 mL/month of morphine sulfate oral solution You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 14. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, or 20 mg - 180 suppositories/month of morphine sulfate suppository 30 mg You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. |

| | | | |
|-----|---|---|---|
| | | D for a 3 month supply) | [Short Description: Over max quantity.] |
| 15. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 tablets/month of morphine sulfate 15 mg tablets - 180 tablets/month of morphine sulfate 30 mg tablets You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 16. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg - 180 tablets/month of oxycodone 15 mg, 20 mg or RoxyBond 15 mg - 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 17. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) - 2700 mL/month of oxycodone oral solution 5 mg/5 mL You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 18. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 360 tablets/month of oxymorphone 5 mg - 180 tablets/month of oxymorphone 10 mg You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |

| | | | |
|-----|---|---|---|
| 19. | Deny | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 300 tablets/month of the requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 20. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 240 tablets/month of Nucynta (tapentadol) 50 mg tablets - 180 tablets/month of Nucynta (tapentadol) 75 mg tablets - 120 tablets/month of Nucynta (tapentadol) 100 mg tablets - 700 mL/month of Nucynta (tapentadol) oral solution You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 21. | Deny | Approve, 12 months See Opioid Analgesics IR Quantity Limits Chart (Column C for 1 month supply or Column D for a 3 month supply) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 240 tablets/month of the requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 12 months. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 22. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 840 mL in a one month period of codeine sulfate oral solution or - 84 tablets in a one month period of codeine sulfate tablets You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 23. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the | Approve, 1 month See Opioid Analgesics IR Quantity Limits | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 1500 mL/month of hydromorphone liquid or - 180 suppositories/month hydromorphone suppositories - 270 tablets/month of hydromorphone 2 mg tablets - 225 tablets/month of hydromorphone 4 mg tablets |

| | | | |
|-----|---|---|---|
| | other drugs from the verbiage. | Chart (Column C) | - 90 tablets/month of hydromorphone 8 mg tablets You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 24. | Deny | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 180 tablets/month of the requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 25. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 120 mL in a one month period of meperidine oral solution - 24 tablets in a one month period of meperidine tablets You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 26. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 mL/month of morphine sulfate oral concentrate solution - 1350 mL/month of morphine sulfate oral solution You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 27. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 suppositories/month of morphine sulfate suppository 5 mg, 10 mg, or 20 mg - 180 suppositories/month of morphine sulfate suppository 30 mg You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 28. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 tablets/month of morphine sulfate 15 mg tablets - 180 tablets/month of morphine sulfate 30 mg tablets You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |

| | | | |
|-----|---|---|---|
| 29. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 270 capsules or tablets/month of oxycodone 5 mg, 10 mg, Oxaydo 5 mg or 7.5 mg, or RoxyBond 5 mg - 180 tablets/month of oxycodone 15 mg, 20 mg or RoxyBond 15 mg - 120 tablets/month of oxycodone 30 mg or RoxyBond 30 mg You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 30. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 180 mL/month of oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) - 2700 mL/month of oxycodone oral solution 5 mg/5 mL You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 31. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 360 tablets/month of oxymorphone 5 mg - 180 tablets/month of oxymorphone 10 mg You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 32. | Deny | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 300 tablets/month of the requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 33. | Deny RPh Note: For the denial verbiage, only include the requested drug. Remove all the other drugs from the verbiage. | Approve, 1 month See Opioid Analgesics IR Quantity Limits Chart (Column C) | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to: - 240 tablets/month of Nucynta (tapentadol) 50 mg tablets - 180 tablets/month of Nucynta (tapentadol) 75 mg tablets - 120 tablets/month of Nucynta (tapentadol) 100 mg tablets - 700 mL/month of Nucynta (tapentadol) oral solution You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
| 34. | Deny | Approve, 1 month | You have requested more than the maximum quantity allowed by your plan. Current plan approved criteria cover up to 240 tablets/month of the |

| | | | |
|--|--|---|---|
| | | See Opioid Analgesics IR Quantity Limits Chart (Column C) | requested drug and strength. You have been approved for the maximum quantity that your plan covers for a duration of 1 month. Your request for additional quantities of the requested drug and strength has been denied. [Short Description: Over max quantity.] |
|--|--|---|---|

Opioid Analgesics IR Quantity Limits Chart

Coverage is provided without prior authorization (for patients not identified as potential first fills) for a 30-day or 90-day supply of immediate-release opioids for a quantity that corresponds to ≤ 90 MME/day. Coverage for quantities that correspond to ≤ 200 MME/day for a 30-day or 90-day supply is provided through prior authorization when criteria for approval are met.

These quantity limits should accumulate across all drugs of the same unit limit (i.e., drugs with 30 units accumulate together, drugs with 60 units accumulate together, etc.)

| | | COLUMN A | COLUMN B | COLUMN C | COLUMN D |
|--|---|---|---|---|---|
| Drug/Strength** | Labeled Dosing | Initial 1 Month Limit* ≤ 90 MME/day (per 25 days) | Initial 3 Month Limit* ≤ 90 MME/day (per 75 days) | Post 1 Month Limit* ≤ 200 MME/day (per 25 days) | Post 3 Month Limit* ≤ 200 MME/day (per 75 days) |
| Codeine sulfate oral soln 30 mg/5 mL | 15 to 60 mg (2.5 mL to 10 mL) q4h. Max Daily Dose 360 mg. | 210 mL ***** (27 MME/day) | 210 mL ***** (27 MME/day) | 840 mL ***** (54 MME/day) | Use column C |
| Codeine sulfate tab 15 mg | 15 to 60 mg q4h. Max Daily Dose 360 mg. | 42 tabs***** (13.5 MME/day) | 42 tabs***** (13.5 MME/day) | 84 tabs***** (13.5 MME/day) | Use column C |
| Codeine sulfate tab 30 mg | 15 to 60 mg q4h. Max Daily Dose 360 mg. | 42 tabs***** (27 MME/day) | 42 tabs***** (27 MME/day) | 84 tabs***** (27 MME/day) | Use column C |
| Codeine sulfate tab 60 mg | 15 to 60 mg q4h. Max Daily Dose 360 mg. | 42 tabs***** (54 MME/day) | 42 tabs***** (54 MME/day) | 84 tabs***** (54 MME/day) | Use column C |
| Hydromorphone liquid 5 mg/5 mL (1 mg/mL) | 2.5 mg – 10 mg (2.5 mL to 10 mL) q3-6h | 600 mL (80 MME/day) | 1800 mL (80 MME/day) | 1500 mL (200 MME/day) | 4500 mL (200 MME/day) |
| Hydromorphone supp 3 mg | 1 supp q6-8h | 120 supps (48 MME/day) | 360 supps (48 MME/day) | 180 supps (72 MME/day) | 540 supps (72 MME/day) |
| Hydromorphone tab 2 mg | 2-4 mg q4-6h | 180 tabs (48 MME/day) | 540 tabs (48 MME/day) | 270 tabs (72 MME/day) | 810 tabs (72 MME/day) |
| Hydromorphone tab 4 mg | 2-4 mg q4-6h | 150 tabs (80 MME/day) | 450 tabs (80 MME/day) | 225 tabs (120 MME/day) | 675 tabs (120 MME/day) |
| Hydromorphone tab 8 mg | 2-4 mg q4-6h | 60 tabs (64 MME/day) | 180 tabs (64 MME/day) | 90 tabs (96 MME/day) | 270 tabs (96 MME/day) |
| Levorphanol tab 1 mg | 1-3 mg q6-8h | 120 tabs (44 MME/day) | 360 tabs (44 MME/day) | 180 tabs (66 MME/day) | 540 tabs (66 MME/day) |
| Levorphanol tab 2 mg | 1-3 mg q6-8h | 120 tabs (88 MME/day) | 360 tabs (88 MME/day) | 180 tabs (132 MME/day) | 540 tabs (132 MME/day) |
| Levorphanol tab 3 mg | 1-3 mg q6-8h | 60 tabs (66 MME/day) | 180 tabs (66 MME/day) | 180 tabs (198 MME/day) | 540 tabs (198 MME/day) |
| Meperidine oral soln 50 mg/5 mL | 50-150 mg (5-15 mL) q3-4h | 90 mL **** (30 MME/day) | 90 mL **** (30 MME/day) | 120 mL **** (30 MME/day) | Use column C |
| Meperidine tab 50 mg | 50-150 mg q3-4h | 18 tabs**** | 18 tabs**** | 24 tabs**** | Use column C |

| | | (30 MME/day) | (30 MME/day) | (30 MME/day) | Use column C |
|--|--|-----------------------------|-----------------------------|------------------------------|------------------------------|
| Meperidine tab 100 mg | 50-150 mg q3-4h | 18 tabs**** (60 MME/day) | 18 tabs**** (60 MME/day) | 24 tabs**** (60 MME/day) | |
| Morphine sulfate (conc) oral soln 20 mg/mL (100 mg/5 mL) | 10-20 mg q4h | 135 mL (90 MME/day) | 405 mL (90 MME/day) | 270 mL (180 MME/day) | 810 mL (180 MME/day) |
| Morphine sulfate oral soln 10 mg/5 mL | 10-20 mg q4h | 900 mL (60 MME/day) | 2700 mL (60 MME/day) | 1350 mL (90 MME/day) | 4050 mL (90 MME/day) |
| Morphine sulfate oral soln 20 mg/5 mL | 10-20 mg q4h | 675 mL (90 MME/day) | 2025 mL (90 MME/day) | 1350 mL (180 MME/day) | 4050 mL (180 MME/day) |
| Morphine sulfate supp 5 mg | 10-20 mg q4h | 180 supps (30 MME/day) | 540 supps (30 MME/day) | 270 supps (45 MME/day) | 810 supps (45 MME/day) |
| Morphine sulfate supp 10 mg | 10-20 mg q4h | 180 supps (60 MME/day) | 540 supps (60 MME/day) | 270 supps (90 MME/day) | 810 supps (90 MME/day) |
| Morphine sulfate supp 20 mg | 10-20 mg q4h | 120 supps (80 MME/day) | 360 supps (80 MME/day) | 270 supps (180 MME/day) | 810 supps (180 MME/day) |
| Morphine sulfate supp 30 mg | 10-20 mg q4h | 90 supps (90 MME/day) | 270 supps (90 MME/day) | 180 supps (180 MME/day) | 540 supps (180 MME/day) |
| Morphine sulfate tab 15 mg | 15-30 mg q4h | 180 tabs (90 MME/day) | 540 tabs (90 MME/day) | 270 tabs (135 MME/day) | 810 tabs (135 MME/day) |
| Morphine sulfate tab 30 mg | 15-30 mg q4h | 90 tabs (90 MME/day) | 270 tabs (90 MME/day) | 180 tabs (180 MME/day) | 540 tabs (180 MME/day) |
| Oxycodone cap 5 mg | 5-15 mg q4-6h | 180 caps (45 MME/day) | 540 caps (45 MME/day) | 270 caps (67.5 MME/day) | 810 caps (67.5 MME/day) |
| Oxycodone oral concentrate 100 mg/5 mL (20 mg/mL) | 5-15 mg q4-6h | 90 mL (90 MME/day) | 270 mL (90 MME/day) | 180 mL (180 MME/day) | 540 mL (180 MME/day) |
| Oxycodone soln 5 mg/5 mL | 5-15 mg q4-6h | 900 mL (45 MME/day) | 2700 mL (45 MME/day) | 2700 mL (135 MME/day) | 8100 mL (135 MME/day) |
| Oxaydo 5 mg | 5-15 mg every 4-6h | 180 tabs (45 MME/day) | 540 tabs (45 MME/day) | 270 tabs (67.5 MME/day) | 810 tabs (67.5 MME/day) |
| Oxaydo 7.5 mg | 5-15 mg every 4-6h | 180 tabs (67.5 MME/day) | 540 tabs (67.5 MME/day) | 270 tabs (101.25 MME/day) | 810 tabs (101.25 MME/day) |
| Oxycodone tab 5 mg | 5-15 mg q4-6h | 180 tabs (45 MME/day) | 540 tabs (45 MME/day) | 270 tabs (67.5 MME/day) | 810 tabs (67.5 MME/day) |
| Oxycodone tab 10 mg | 5-15 mg q4-6h | 180 tabs (90 MME/day) | 540 tabs (90 MME/day) | 270 tabs (135 MME/day) | 810 tabs (135 MME/day) |
| Oxycodone tab 15 mg | 5-15 mg q4-6h | 120 tabs (90 MME/day) | 360 tabs (90 MME/day) | 180 tabs (135 MME/day) | 540 tabs (135 MME/day) |
| Oxycodone tab 20 mg | 5-15 mg q4-6h | 90 tabs (90 MME/day) | 270 tabs (90 MME/day) | 180 tabs (180 MME/day) | 540 tabs (180 MME/day) |
| Oxycodone tab 30 mg | 5-15 mg q4-6h | 60 tabs (90 MME/day) | 180 tabs (90 MME/day) | 120 tabs (180 MME/day) | 360 tabs (180 MME/day) |
| Oxymorphone tab 5 mg | 10-20 mg q4-6h | 180 tabs (90 MME/day) | 540 tabs (90 MME/day) | 360 tabs (180 MME/day) | 1080 tabs (180 MME/day) |
| Oxymorphone tab 10 mg | 10-20 mg q4-6h | 90 tabs (90 MME/day) | 270 tabs (90 MME/day) | 180 tabs (180 MME/day) | 540 tabs (180 MME/day) |
| Pentazocine/naloxone 50/0.5 mg | 1-2 tabs q3-4h. Total daily dose should not exceed 12 tablets. | 120 tabs*** (74 MME/day) | 120 tabs*** (74 MME/day) | 300 tabs*** (185 MME/day) | 300 tabs*** (185 MME/day) |
| RoxyBond 5 mg | 5-15 mg q4-6h | 180 tabs (45 MME/day) | 540 tabs (45 MME/day) | 270 tabs (67.5 MME/day) | 810 tabs (67.5 MME/day) |
| RoxyBond 15 mg | 5-15 mg q4-6h | 120 tabs (90 MME/day) | 360 tabs (90 MME/day) | 180 tabs (135 MME/day) | 540 tabs (135 MME/day) |
| RoxyBond 30 mg | 5-15 mg q4-6h | 60 tabs | 180 tabs | 120 tabs | 360 tabs |

| | | | | | |
|---------------------------------------|--|--------------------------|--------------------------|---------------------------|----------------------------|
| | | (90 MME/day) | (90 MME/day) | (180 MME/day) | (180 MME/day) |
| Tapentadol oral soln 20 mg/mL***** | 50 mg (2.5 mL) to 100 mg (5 mL) every 4 to 6 hours. Max daily dose is 700 mg on the first day and 600 mg on subsequent days. | 300 mL (80 MME/day) | 900 mL (80 MME/day) | 700 mL (186.7 MME/day) | 2100 mL (186.7 MME/day) |
| Tapentadol tab 50 mg | 50 mg, 75 mg, or 100 mg every 4 to 6 hours. Max daily dose is 700 mg on the first day and 600 mg on subsequent days. | 120 tabs (80 MME/day) | 360 tabs (80 MME/day) | 240 tabs (160 MME/day) | 720 tabs (160 MME/day) |
| Tapentadol tab 75 mg | 50 mg, 75 mg, or 100 mg every 4 to 6 hours. Max daily dose is 700 mg on the first day and 600 mg on subsequent days. | 90 tabs (90 MME/day) | 270 tabs (90 MME/day) | 180 tabs (180 MME/day) | 540 tabs (180 MME/day) |
| Tapentadol tab 100 mg | 50 mg, 75 mg, or 100 mg every 4 to 6 hours. Max daily dose is 700 mg on the first day and 600 mg on subsequent days. | 60 tabs (80 MME/day) | 180 tabs (80 MME/day) | 120 tabs (160 MME/day) | 360 tabs (160 MME/day) |
| Tramadol 50 mg | 50-100 mg q4-6h, MAX = 400 mg/day | 180 tabs (30 MME/day) | 540 tabs (30 MME/day) | 240 tabs (40 MME/day) | 720 tabs (40 MME/day) |

*The duration of 25 days is used for a 30-day fill period and 75 days is used for a 90-day fill period to allow time for refill processing.

Limits are set up as quantity versus time edits.

**The limit criteria apply to both brand and generic, if available.

***This drug is indicated for short-term acute use; therefore, the 30-day limit will be the same as the 90-day limit.

****Due to risk of accumulation, the 30-day and 90-day initial limit allows a quantity that corresponds to a 3-day supply only and the 30-day and 90-day post limit allows a quantity that corresponds to a 4-day supply only.

*****Available in 100 mL and 200 mL bottles. Limits are set to reflect 100 mL package size.

*****This drug is indicated for short-term acute use; therefore, the 30-day limit will be the same as the 90-day limit. The initial quantity limit for codeine will be set at a quantity that corresponds to a one week supply. The post limit quantity will be set at a quantity that corresponds to a two week supply.